



Gas Unit Heater Schedule

| No. | B.T.U. output | Model or equal |
|-----|---------------|----------------|
| 1 | 70,250 | Dayton 3E841 |
| 2 | 37,500 | 3E837 |
| 3 | 56,250 | 3E839 |

- Materials -**
- 1- Underground gas and vent to be service wt. G.I., above grd. gas and vent to be galv. steel pipe with blk. drainage fittings or D.M.V. copper.
 - 2- Underground water to be type "K" copper, above grd. to be type "2".
 - 3- Gas pipe to be blk. steel with blk. malleable fittings.
 - 4- Water closet to be American std. E 2120 Codelet with seat and cover.
 - 5- Lavatory " " " 174 "Comrade" 2018 with N-554 Supplies.
 - 6- Sine cabinet - Bar-brook B-282-C.
 - 7- Medicine chest - Holt-Mack-1622.
 - 8- Paper holder - Holt-Mack 671.

PLUMBING, HEATING & VENTILATING
scale: 1/8" = 1'-0"

| <p>A WAREHOUSE FOR MARTIN INDUSTRIAL HYATTSVILLE INDUSTRIAL EDMONSTON A Q. CO., MARYLAND</p> | | <p>CHECKED J.M.I.</p> <p>APPROVED J.M.I.</p> <p>DATE NOV 10 1960</p> | | | | | | | | | | | | |
|---|----|--|----|------|--|--|--|--|--|--|--|--|--|---|
| <p>REVISIONS</p> <table border="1"> <thead> <tr> <th>NO</th> <th>BY</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> | | NO | BY | DATE | | | | | | | | | | <p>OWNER MARTIN INDUSTRIAL PARK VENTURE 1809 CONNECTICUT AVE WASHINGTON D.C.</p> |
| NO | BY | DATE | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| <p>MACRIS & SIMKO CONSULTING ENGINEERS 817 SILVER SPRING AVE. SILVER SPRING, MD 20910 (301) 581-0000</p> | | <p>DATE NOV 10 1960</p> <p>BY J.M.I.</p> | | | | | | | | | | | | |