



FLOOR PLAN AND ELECTRICAL

18'-11 1/2"

Note:
Entire warehouse area shall be sprinklered in accordance with N.F.P.A. Pamphlet No. 13, and all applicable codes of Prince Georges County "wet System".

- ELECTRICAL SYMBOLS**
- ELECTRIC PANEL 100 AMP 60 SERVICE PER WAREHOUSE UNIT
 - TUBE & ROOF ALIGNMENT LIGHTS 78N SLM LINE INDUST. UNIT #5V214
 - ⊕ WALL SWITCH
 - ⊕ DUPLEX RECEPTACLE SURFACE MOUNTED
 - ⊕ WALL OUTLET #2V007
 - ⊕ CEILING OUTLET #2V003
 - ⊕ COMB. BATHROOM CABINET AND LIGHT #41735
 - ⊕ EXTERIOR SPOTLIGHT (REQUIRED PER OVERHEAD DOOR #1V920)
 - ⊕ EXIT LIGHT
 - ⊕ G GALLON ELECTRIC HOT WATER HEATER #SE 960
 - ⊕ HOME RUN PD PANEL BOX
 - ⊕ CEILING MOUNTED BATH EXHAUST BESSN #46050 OR EQUIV.

- ELECTRICAL NOTES**
1. ALL WIRING SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE NATIONAL ELECTRICAL CODE AND ALL APPLICABLE CODES OF PRINCE GEORGES COUNTY.
 2. PROVIDE ADDITIONAL SPARE CIRCUITS AS NECESSARY FOR ELECTRICAL EQUIPMENT, AND EXTERIOR LIGHTING.
 3. FLUORESCENT LIGHTS SHALL BE SUPPORTED BETWEEN 2 JOISTS, LEVEL WITH THE BOTTOM CHORD.
 4. NUMBERS SHOWN FOR ELECTRICAL FIXTURES AND EQUIP. ARE FROM THE CATALOG OF W.W. GRAINGER INC. THE CONTRACTOR MAY SUBSTITUTE FOR COMPARABLE ITEMS UPON AUTHORIZATION BY THE OWNER.

DOOR SCHEDULE

NO.	SIZE	MAT'L	FRAME	THRD	REMARKS
1	3'-0" x 7'-0" x 1 1/4"	FLUSH METAL	METAL	BLUM	HOLLOW METAL WITH 1/2" W/2 WIRED GLASS VIEW PANEL - 2 LABEL
2	10'-0" x 10'-0" x 1 1/4"	WOOD	SEE SECT	NONE	WOOD PANEL OVERHEAD DOOR COMPANY OR EQUAL - CHAIN OPERATED *
3	10'-0" x 10'-0" x 1 1/4"	WOOD	SEE SECT	NONE	WOOD PANEL OVERHEAD DOOR COMPANY OR EQUAL - MANUAL
4	2'-0" x 6'-0" x 1 1/4"	WOOD	WOOD	NONE	FLUSH HOLLOW CORE

* 14' High Overhead doors shall be chain operated.

PROPOSED
WAREHOUSE NO. 2
HYATTSVILLE INDUSTRIAL
EDMONSTON-PRINCE GEORGES COUNTY-MARYLAND

REVISIONS		

MARTIN INDUSTRIAL PARK VENTURE 2045 University Blvd E. Adelphi, Maryland	MACRIS AND SIMMO Consulting Engineers 817 Silver Spring Ave. Silver Spring Md.
--	--